

iSeries Rotating Laser Range "Accurate For Life"

i77R Rotating Laser Level

Red Beam Single Grade Laser

The Imex i77R is proven in all conditions to perform a vast range of levelling tasks in an efficient, effective way. With self-levelling, grade slope function, scan mode, horizontal and vertical, remote control and re-chargeable lithium-ion batteries the Imex i77R represents excellent value with versatile capabilities for a full range of construction functions. The single-grade slope function widens the instruments range of applications, allowing for grade/slope manual control from the remote for accurate construction tasks such as drainage, grading, fencing, paving etc.






Technical Specification	
Product code	012-I77RX10
Self levelling range	+/-5°
Accuracy	1.5mm @ 30m
Working distance	600m diameter with detector
Rotation speeds	0, 60, 120, 300, 600rpm
Scan mode	No
Grade slope	Yes – Single manual grade to 5° 8.8%
Plumb spot	Yes - up/down
Light source	Red laser diode, 635nm Class II
Remote control	Yes - ICR7
Horizontal/vertical	Horizontal only
Water/dust proof	IP66
Power	9 Ah 3.7v lithium-ion
Working time between charge	40 hours approx (4 hours charge time)
Charging type	USBC (front of laser / direct to battery)
High wind sensitivity re-set	Yes
Unit weight	2.48kg
Warranty	5 years
Included detector	LRX10 digital receiver

LRX10 Digital Receiver Specification	
Detection window	90mm -30 to +60
Working range	300m radius
Detectable spectrum	Red, green laser
Measurement accuracy	Ultrafine - 0.5mm,1mm, 2mm, 5mm - Coarse
Magnets	2x topface
Drop test on concrete	1.5m height
Waterproof, shockproof	IP67 (fully dust proof/water submersible)
Warranty	3 years



Single Grade/slope Mode Y axis manual grade



Up/Down Plumb Spot Self Levelling (90° to horizontal plane)



Self Levelling Horizontal Plane Self levelling 600m dia range

Kit Includes

- i77R laser level
- Hard carry case
- LRX10 receiver & bracket
- USB/C charging cable
- Wall charger adaptor
- Vehicle charger adaptor
- Magnetic target plate
- 2x 9.0Ah Li-Ion batteries



Measurement Receiver Supplies as Standard

Ultra - accurate measurements displayed in mm



2x 9Ah Li-Ion Batteries 40hr Run-time | USBC charging



Extended Warranty 5yr laser warranty 3yr receiver warranty *Warranty terms apply



Radio Remote Control Control the laser from 20m away



RPM Control Switch RPM speeds 0, 60, 120, 300, 600rpm



Bump-Stop mode For use in busy work site areas to prevent ré-levelling errors

i77R Rotating Laser Functions



LRX10 Receiver + ICR7 Laser Remote Functions





For further information, please call our head office on 0115 944 0399

For service, repair, site-demo requests and calibration we recommend speaking to an adviser

Alternatively, visit out site: www.imextools.co.uk



Measure Quip Ltd Merlin Way | Quarry Hill Ind Est | DE7 4RA